

OpenAtlas - Feature #1388

Allow contributor group to delete only own entries

2020-10-16 12:16 - Stefan Eichert

Status: Closed	Start date: 2020-10-16
Priority: Normal	Estimated time: 0.00 hour
Assignee: Alexander Watzinger	
Category: Backend	
Target version: 7.3.0	

Description

Update about implementation

- Users with the contributor group can now only delete own entries. The check is only done for contributors to not slow down the application for others.
- Contributors couldn't manipulate types before so no action was needed, it's an older issue so this may have changed after reporting it.
- The manual was updated accordingly

Original request:
Suggestion for contributor permissions:

Allowed

- Create new entries
- Update all entries except for existing types/adm. units/hist. places
- Delete your own entries

Forbidden

- Delete records from other users
- Update types from other users

History

#1 - 2020-10-16 12:29 - Alexander Watzinger

- Description updated
- Category set to Backend
- Status changed from New to Acknowledged
- Target version set to 6.3.0

This sounds like a good idea. I will look into it in more detail after the next release.

#2 - 2020-10-16 12:30 - Alexander Watzinger

- Description updated

#3 - 2021-05-10 14:24 - Alexander Watzinger

- Target version changed from 6.3.0 to 7.1.0

#4 - 2022-02-10 17:50 - Alexander Watzinger

- Target version changed from 7.1.0 to 7.3.0

#5 - 2022-04-23 19:22 - Alexander Watzinger

- Subject changed from New contributor settings to Allow contributor group to delete only own entries
- Description updated
- Status changed from Acknowledged to Closed
- Assignee set to Alexander Watzinger